


Military Government

Weekly Health Report

This report is a continuation of the Public Health Section of the Military Government

WEEKLY FIELD REPORT

It should be considered only as a historical recording of certain operational details, problems and observations deemed by the field personnel to be of sufficient importance to report to higher head-quarters. Monthly reports absorb important matters and contain conclusions based upon factual data officially submitted for the purpose of estimated operational progress



OFFICE OF MILITARY GOVERNMENT FOR GERMANY (US)
INTERNAL AFFAIRS AND COMMUNICATIONS DIVISION
PUBLIC HEALTH AND WELFARE BRANCH

Occupied Germany:

In the following Appendices "A" "E", and "C" are summaries of eases and deaths by Regierungsbear's and Land, and case rates by

sudget to reach brunger was insertic without any reported water for the surface of typical and the surface of t

Occupied Germany:

In the following Appendices "A", "B", and "C" are summaries of cases and deaths by Regierungsbezirk and Land, and case rates by Regierungsbezirk and Land for the week ended 7 September 1946.

Communicable Diseases:

After four consecutive weeks without any reported cases of typhus fever in the Zone one case was reported during the current week in Oberbayern Land Bavaria. Diphtheria has increased by seventy cases over the previous week with the increase occurring in all three Laender and US Sector Berlin while there was a decrease in Bremen. Likewise, scarlet fever increased in all three Laender and US Sector Berlin and decreased in Bremen. The increase in typhoid fever cases was mostly confined to Land Bavaria where the reported cases approximately doubled those of the previous week. Poliomyelitis decreased from 35 cases to 29 cases this week while malaria decreased from 23 to 20 cases for the Zone in spite of an increase of five cases in Land Bavaria. Tuberculosis of the lung and larynx, with the lowest incidence since April, decreased by 126 cases over the previous week with the decrease occurring in all three Laender but increasing in both US Sector Berlin and Bremen. This week has also shown a decrease of approximately 400 reported cases of gonorrhea and the ratio of gonorrhea to syphilis has returned to approximately the ratio maintained prior to the change of the past two weeks.

Medical Supplies:

Six hundred liters codliver oil has been received in Bremen from charity organizations in the United States and is being distributed through the medical social workers channels. Approximately 7500 kgs. of assorted bandages are being processed by the Blumenthal Wollkaemmerei for hospitals in Bremen and Wesermuende. Also, Bremen Enclave has been allotted 3% of the insulin and penicillin which is being received from CRALOG. In July, 11,300,000 units of insulin were turned over to Bavarian authorities for storage and controlled release. Nine million units per month are required in Land Bavaria with less than 2,000,000 units received from the Hoechst plant supplemented by 600,000 units of local production which only meets approximately one fourth of the insulin requirements. CRALOG has agreed to ship 15,000,000 units of insulin per month for the next six months, 45% of which has been allocated to Land Bavaria. There is little likelihood that local production can be increased appreciably within the next six months but with the American surplus stocks, requirements can be met for the time being and upon depletion of this supply it is hoped that it will be possible to import from several European firms. The Hoechst plant is now manufacturing DDT under the name of Garasol at the rate of 70 tons per month and a similar product. GIX, at the rate of 8 tons per month. There is a reserve stock of 111 tons of Garasol and 20 tons of GIX and this together with the present rate of manufacture will be sufficient to meet the German insecticide requirements. The newly formed Central Public Health Committee in Bavaria has been asked to consider such questions as requirements for drugs which must eventually be met by import and requirements for German manufactured apparatus such as X-ray equipment and surgical instruments.

Hospitalization:

In Greater Hesse the turning over of the Internee Hospital in the Grenadierkaserne, Karlsruhe, has been indefinitely postponed and the US Army medical installation will remain at the hospital until a competent German staff is available to assume operational responsibilities. Arrangements were made in Bavaria for hospitalization of Sudeten Expelees and to date 350 have been hospitalized at Landshut. This movement has now been stopped.

APPENDIX "A"

Communicable Disease Report United States Zone of Germany for Week Ending 7 September 1946

a) Bremen included in totals.

s. + No data su

APPENDIX "B" Communicable Disease Report (by Land) United States Zone of Germany

for Week Ending 7 September 1946

| 1 | Measles | 92 | 88 | 12 | 11 | ++ | 126 |
|--------------|--------------------------------|-----------|-------------------|----------------------|---------|-----------------------|------------------|
| Deaths | ézuənjjuj | TIL | 17 | 11 | co | ++ | 20 |
| | BiteleM | 00 | 07 | -1 | 11 | 0 1 | 02 |
| d: | Encephalitis epidemic | | 1- | L. | 91 | 11 | -01 |
| Cases | Rabies | | 11 | 11 | | 11 | 111 |
| C: C | Scabies | 2122 | 537 | 1048 | 134 | ++ | 3841 |
| SE | esibnus Laundice | eo | 9 | 111 | 11 | 11 | 6 |
| DISEASE | Undulant Fever | 11 | 71 | 111 | 11 | 11 | - 1 |
| ā | Bact. Food Poisoning | 1 | 11 | 111 | 11 | 11 | - |
| 375 | infectious | 014 | 10 | N I | 1 | 6 | 29 |
| CAE | Paratyphoid Dysentery | 32 1 | [- | 41 | 111 | 01 | 1 2 2 |
| COMMUNICABLE | Typhoid Fever | 20 00 | 19 | 20 | | [- m | 177 4 |
| ΣΣ | Tuppoid Fever | 7-4 | | | | 00 1 | |
| 00 | silidqyZ | 2 423 | 179 | 116 | 36 | 118 | 6 872 |
| to | Conorrhea | 1312 | 579 | 441 | 159 | 265 | 2756 |
| THS | Poliomyelitis | 9.1 | 4 1 | 10 | 11 | co - | 29 |
| DEATHS | Meningococcus | 0001 | co − − | 11 | H. | 11 | r 00 |
| and | Whooping Cough | 366 | 180 | 220 | 00 | ++ | 774 |
| SES | Tuberculosis other | 24 | 23 | 37 | 11 | 62 63 | 116 |
| CASES | Tuberculosis lung and larynx | 203 | 151 | 113 | 34 | 97 | 598 |
| New | Scarlet Fever | 91 | 63 | 58 | 2 | 201 | 237 |
| 10 | Diphtheria | 405 | 203 | 221 | 48 | 95 | 972 |
| Number | Anthrax | 11 | 11 | 11 | 11 | 11 | 11 |
| | Plague | 11 | 11 | 11 | 111 | | 11 |
| orfec | Cholera | 11 | 111 | 111 | 11 | 111 | 111 |
| Reported | xoqllsm2 | | | 111 | 11 | | |
| | louse borne Relapsing Fever | | | | | | 11 |
| - | Typhus Fever | | | | | | |
| - | Cases, Deaths | 00 | 00 | 0-0 | 00 | 00 | 00 |
| | Popu- lation | 8,169,731 | 3,793,452 | 3,293,283 | 478,106 | 944,818 | 16,679,390 |
| Trick Const | Land | Bavaria | Greater | Württemberg Baden | Bremen | Berlin (US Sector) | Total US Zone |

Case Rafe Expressed as per 10,000 Population per Annum

| Total - | | | | | | 1 | - | | | - | | 3 | | 9 1 | | | 100 | - | 100 | 0 15 | - | | THE PERSON NAMED IN | 3 | = | | | |
|--|------------|---------|----|-------|----|-----|-----|---|------|-------|-------|-------|------|-------|-------------------------------|-------|------|------|--------|------|-----|-----|---------------------|---|----------------|--------|------|------|
| Bavaria | 8,169,731 | 0. | 22 | | | The | T | - 25.76 5.79 12.91 1.53 23.28 .19 .38 83.44 26.90 8.33 2.03 .76 .0619 134.9606 .51 | 5.79 | 12.91 | 1.53 | 23.28 | .19 | .38 | 33.44 | 26.90 | 8.33 | 2.03 | .76 | 90. | 1 | .19 | 134.96 | 1 | 90. | .51 | 124 | 4.83 |
| Greater Hesse | 3,793,452 | | | فيليو | | | 141 | 27.83 8.64 20.70 3.15 24.68 .41 .55 79.38 24.54 2.60 .96 .6814 .82 73.62 | 8.64 | 20.70 | 3.15 | 24.68 | 4. | .55 | 79.38 | 24.54 | 2.60 | 96. | .68 | | .14 | .82 | 73.62 | | - 27 2.33 5.21 | .27 | 2.33 | 5.21 |
| Württemberg- Baden | 3,293,283 | El Land | | 1 | 1 | 1 | 13 | 34.36 9.16 17.84 5.84 34.7479 69.63 18.32 3.16 -63 | 9.15 | 17.84 | 5.84 | 34.74 | | 62. | 69.63 | 18.32 | 3.16 | -63 | .32 | | -1 | | 165.48 | | | .16 | 9 | 1.89 |
| Bremen Enclave | 478,106 | | 1 | -1- | | 1 | I | 52.20 7.61 35.98 | 7.61 | | 1 | 6.70 | 60.1 | 1.96 | 6.70 1.09 11.96172.93 39.15 — | 39.15 | - | 1 | - 1.09 | - | - | - | 145.74 | | 1 | 1 | 3.26 | 1 |
| Berlin (US Sector) | 944,818 | | 1 | 1 | -1 | 1 | 11 | 52.25 9.91 53.39 17.61 + - 1.65 145.86 64.95 3.85 1.10 4.95 | 9.8 | 53.39 | 17.61 | + | 1. | 1.651 | 45.86 | 64.95 | 3.85 | | 4.95 | | | - | + | 1 | | 4.95 + | + | + |
| Total US Zone | 16,679,390 | 0. | 60 | 1- | 1 | 1 | 4 | - 30.33 7.39 18 66 3.62 24.15 .22 .90 65.99 27.21 5.52 1.40 .90 .03 .03 .28 119.6403 .62 .62 3.93 | 7.39 | 99 99 | 3.62 | 24.15 | .22 | 06. | 52.33 | 27.21 | 5.52 | 1.40 | .90 | .03 | .03 | .28 | 119.64 | 1 | .03 | .62 | .62 | 3,93 |
| The state of the s | | | | | | | | | | | | | | | 100 | | | - 3 | | | | | | | | | | |

+ No data submitted

APPENDIX "C"

Communicable Disease Rates United States Zone of Germany for Week Ending 7 September 1946

| - 1 | | | | 1 | | | | | 1 | 4000 | | | | |
|---------|-------------------------------|-----------------------|----------------------------|----------------------------|-------------------------------|----------------|------------|----------------|-------------------|------------------------|----------------|--------------------------|---------------|-----------------------------|
| | Measles | 3.93 | 1 | 7.44 | 1.67 | 2.00 | 8.45 | 1 | .36 | 16.33 | 1 | 3.05 | 1 | + |
| | ezuənjjul | .62 | Г | 1 | | 1 | 1 | 1 | 1 | 7.50 | 1 | - | 3.26 | + |
| | Malaria | .62 | 1 | 1.20 | 1 | 00. | .24 | 06. | 1 | L | 1 | .25 | 1 | 4.95 |
| | Encephalitis epidemic | .03 | 1 | T | 1 | 1 | .24 | 1 | 1 | 1 | 1 | 1 | I. | |
| | Rabies | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Scabies | 119.84 | 110.60 | 173.11 | 196.13 | 103.94 | 69.77 | 80.89 | 49.44 | 109.03 | 374.25 | 37.91 | 145.74 | + |
| | Infectious Jaundice | .28 | 1.11 | 1 | 1 | 1 | .24 | .45 | 1 | 2.21 | 1 | 1 | 1 | |
| | Undulant Fever | .03 | 1 | 1 | 1 | 1 | 1 | 11 | 11 | 44. | 1 | | 1 | T |
| | Bact. Food Poisoning | .03 | 1 | | 28 | | | | | | | | | i |
| | Cysentery infectious | 96. | .67 | .72 | .28 | - | .20 | | .42 | 44. | | .51 | 1.09 | .95 |
| 0 | Paratyphoid | .40 | .671 | 88. | 99 | .50 | 201 | | 421 | .32 | | 0.02 | - | 104 |
| 174 | Typhoid Fever | 521 | 1.11 65.03 26.12 5.00 6.67 | .9312.482.88 | 1.14 | 00. | 28.394.811 | .25 | 43.393.561.421.42 | 771 | .75 | 76 61.06 19.08 2.80 1.02 | | 145.86 64.95 3.85 1.10 4.95 |
| er | Silidqy2 | .215. | 112 | | 45 | 57.9623.995.00 | .394 | .372 | .393 | 65.77 15.011 | 83.6817.073.75 | .08 | 39.15 | .953 |
| O L | | 927 | 326 | 03 | 66.5821 | 623 | 5128 | 610 | 90 43 | 715 | 817 | 619 | 330 | 1664 |
| Sepremo | Conorrhea | .90 85.99 27 | 65.0 | 93.4031 | | 57.9 | 168 | 1.35 27.96 10. | 130. | | 83.6 | 61.0 | 172.93 | 145.8 |
| oe l | Poliomyelitis | | 1.1 | .24 | .28 | -1 | .48 | 1.35 | - | .44 | œ. | 92. | 11.96 | 1.65 |
| - | Meningitis meningococcus | .22 | | .72 | | - 1 | 1 | .90 | 1 | .44 | | 1 | 8.701.0911.96 | |
| ng | Whooping Cough | 24.15 | 27.79 | .96 27.85 | .28 13.65 | 32.98 | 2.6520.45 | 32.92 | 4.23 | 39.57 | 7.49 39.96 | 31.55 | 8.70 | + |
| Enging | Tuberculosis other | 3.62 | 3.89 | 96. | .28 | .5032. | 2.65 | 3.16 | 3.20 | 3.00 | 7.49 | .83 | 1 | 7.61 |
| | Tuberculosis lung & larynx | 7.39 18.66 3.62 24.15 | 3.33 14.45 3.89 27 | 13.20 | 13.65 | 7.99 | 13.71 | 7.6613.533.16 | 26.683.2014 | 11.48 20.30 3.09 29.57 | 20.81 | 16.034.8331 | 36.98 | 53.39 17.6 |
| eek | Fever Tuberenlesis luna | 391 | 333 | 5.281 | 4.461 | 8.99 | 6.981 | 361 | 112 | 188 | 150 | 171 | 313 | 115 |
| > | 19l162 | 1 | 1 | 4 | | | | | 7.11 | 11. | 3.75 | 12.47 | 7.61 | 9.91 |
| TOL | Diphtheria | 30.33 | 34.46 | 30.25 | 20.89 | 24.48 | 22.38 | 23.00 | 30.95 | 28.69 | 35 38 | 34.60 | 52.20 | 52.29 |
| | Anthrax | | | 1 | | | | | 1 | | 1 | | 1 | 1 |
| | Plague | 1 | | 1 | | 1 | 1 | -1 | | 1 | | | 1 | |
| | Сholeга | 1 | 1 | 1 | 1 | 1 | | 1 | | | | | 11 | |
| | xoqlism2 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| | Relapsing Fever | | 1 | 11 | 1 | 1 | 1 | | 1 | | 1 | | 1 | |
| | lyphus hever | .03 | 1 | 1 | 1 | | 24 | 1 | - | - | | 1 | 1 | 1 |
| | | 0 | 10 | 60 | 9 | | 9 | 9 | 7 | 63 | 2 | 9 | 9 | 90 |
| | Popu- lation | 19,39 | 935,625 | 2,166,033 | 1,866,526 | 1,040,631 | 2,160,916 | 1,153,323 | 1,461,997 | 1,178,132 | 1,249,127 | 2,044,156 | 478,106 | 944,818 |
| | - Pa | 16,679,390 | 96 | 2,16 | 1,8(| 1,04 | 2,16 | 1,15 | 1,46 | 1,17 | 1,24 | 2,04 | 47 | 94 |
| | ů | (a) | _ | c | r a z | | | | | | | ED) | | |
| | Regierungs- Bezirk | o o | Unterfranken | Ober- and Mittelfranken | aye | L 0 | /ern | | len | | | ber | | for) |
| | Regier | Lon | rfra | elfra | derb | vab | rba | 0 | sbac | en | C | tem | nen | Sec |
| | 8 8 | Total US Zone | Unte | Ober- and Mittelfranke | Niederbayern and Oberpfalz | Schwaben | Oberbayern | Kassel | Wiesbaden | Hessen | Baden | Württemberg | Bremen | Berlin (US Sector) |

+ No data submitted, a] Bremen included. Rates Expressed as per 10,000 per Annum).

| + | | 8 | 1 1 | 2500 (PVQ | 200 | | 1 20 | | 02 | 704 | 1 | 50 | Measles |
|--------|---------|---------------|-----|--|-----|---|-------|-----|--------------|-----|---|---------|--|
| - | 2.20 | 01. | - | 200 200 200 200 200 200 200 200 200 200 | - | 1 | 1 60 | | - | | - | 50 G 23 | african and the same of the sa |
| | the . | | 1 | -3 | | | | | | | 1 | | Influence |
| | | | | | | | | | | | | | Malant |
| | | | | | | | | | | | | | Application of the state of the |
| | | | | | | | | | | | | | |
| | | | | | | | | 63 | 47.3 47.3 | | | | 1 20 14 14 2 |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | A September 2 SAME |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | The state of the s |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | A comment of the state of the s |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | - " | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | The state of the s |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| · · | | | | | | | | | | | | | |
| | | Aktisie upeid | | | | | | | | | | | |
| | 1 | Man I | | | | | | | | | | | |
| | 7301150 | | | | | | OPPOS | | | | | | 50 gg 60 to |
| 1 10 1 | | | | | | | | 19. | | | | | |
| | | | | | | | | | | | | | |